



# KP023A Air Purifier

## Specialized for Family with Pet

Pet Hair

Allergy Free

Influenza Virus

Pet Odor

Allergy Free

Remove HCHO

### Suitable for Different Scenarios



### Differences for Professional Pet Air Purifier

|                               |                             |                                               |
|-------------------------------|-----------------------------|-----------------------------------------------|
| ✗ Only remove HCHO            | Better deodorization        | ✓ Professional activated carbon deodorization |
| ✗ Regular air inlet grilles   |                             | ✓ Turbo+360° air inlet design                 |
| ✗ Floating hair easy to block | Better hair removing design | ✓ Replaceable filter layer                    |
| ✗ Not for allergens           | More safe                   | ✓ H13 HEPA pets pro filter for Fc01           |
| ✗ Not suitable for pet        | Prevent cross infection     | ✓ UVC disinfect tech for human and pet        |
| ✗ Loudness might stress pet   | Prevent stress design       | ✓ 0 ozone and low noise design                |



Child lock design

Safety appearance design

Easy filter replacement design

Winding design on the bottom

### Product Information



|              |                                                                                                  |
|--------------|--------------------------------------------------------------------------------------------------|
| Product Size | 280*280*550mm                                                                                    |
| Weight       | 4.3KG                                                                                            |
| Material     | ABS+PP                                                                                           |
| Input        | 24V = 1A                                                                                         |
| Power        | 30W                                                                                              |
| Room Space   | 40m <sup>2</sup>                                                                                 |
| PM           | CADR:400m <sup>3</sup> /h                                                                        |
| Air Volume   | 450m <sup>3</sup> /h                                                                             |
| Package List | Pet Air Purifier*1<br>H13 HEPA Filter*1<br>Electrostatic Cotton Layer*1<br>Manual*1<br>Adapter*1 |

## Kan Tsang New Technology Development Limited

Flat 01, 11/F., Nan Fung Commercial Centre, 19 Lam Lok Street, Kowloon Bay, HK

Tel : (852) 2342 8254 Mobile : (852) 6645 1688 Whatsapp : 852 6645 1688 WeChat Id : alexchiu1688

E-mail : alex@kantsang.com

<http://www.kantsang.com>



# KP100F / KP100FW (WiFi Version)

## Intelligent feeder for pets

Automatic feeding/moisture-proof locking fresh/  
voice interaction/high-definition night vision

## High-definition video Monitor watch every movement at any time

Through the mobile APP,  
you can know the situation of pet being alone at home in real time,  
Capture cute moments and share with friends.



Dry food



Mix dry food



Freeze-drying food



Air dry food

Maximum compatibility within 15mm, recommended freeze-drying size within 13mm

## Nine Core Technologies

Not only the appearance but also the quality



Camera



Voice interaction



Locking fresh



Non-stocking grain



Continuous grain supply



App Monitor



Full clean



battery life 6-Month



Timing quantification



175mm



338mm

353mm

Product name  
Intelligent feeder  
for pets

Raw material  
ABS, 316 stainless  
steel

Grain storage  
barrel capacity  
4L

Net weight  
of product  
2Kg

Rated input  
5V=2A

Model of dry cell  
4 No.1 batteries (need  
to be purchased user)

Camera  
120 wide-angle HD  
night vision

Wireless connection  
WiFi 2.4G

Applicable Pets  
dogs and cats

## Kan Tsang New Technology Development Limited

Flat 01, 11/F., Nan Fung Commercial Centre, 19 Lam Lok Street, Kowloon Bay, HK

Tel : (852) 2342 8254 Mobile : (852) 6645 1688

Whatsapp : 852 6645 1688

WeChat Id : alexchiu1688

E-mail : alex@kantsang.com

<http://www.kantsang.com>





# KP110D / KP110DW (WiFi Version)

The water dispenser can hold 2L water, which can satisfy an adult cat  
The amount of water in about a week, when the owner travels for a short time,  
Love pets can also drink fresh water



## UV sterilization

260-280nm wavelength  
Kill 99% of Escherichia coli



Wireless water pump



UV Light



Multiple filter



Multiple water supply modes



dual power supply



Easy clean



App remote control



Sleep decibel



float hair clean system




Separation of inner and outer barrels



Anti-dry burning system



water level window



Battery power cord dual power supply  
Meet needs of different scenarios

Suitable for your various placement requirements and convenient to move  
Ultra-low power consumption, power failure can also ensure pet to drink healthy water at any time!



## Kan Tsang New Technology Development Limited

Flat 01, 11/F., Nan Fung Commercial Centre, 19 Lam Lok Street, Kowloon Bay, HK

Tel : (852) 2342 8254 Mobile : (852) 6645 1688 Whatsapp : 852 6645 1688 WeChat Id : alexchiu1688

E-mail : alex@kantsang.com

<http://www.kantsang.com>

## KP660T

# Intelligent Drying Box for Pet

## 66 liters of large space



KP660



KP660X



### Safe, efficient and intelligent

|                                                                                     |                                                                                  |                                                                           |                                                                  |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------|
| <br><b>66 liters of large space</b><br>Accommodate multiple treasures               | <br><b>3 million negative ions</b><br>Moisturize every hair                      | <br><b>High precision Temperature and humidity sensor</b>                 | <br><b>Ultra-low noise</b><br>Dry your hair during sleep         |
| <br><b>PTC heating module</b><br>Safety, environmental protection and energy saving | <br><b>Warm in winter and cool in summer</b><br>Design of Four Seasons Cat House | <br><b>Oversized window</b><br>Pay attention to pets from multiple angles | <br><b>Built-in hair collector</b><br>Say goodbye to flying hair |
| <br><b>UV ozone sterilization</b><br>Kill pet appliances                            | <br><b>After drying</b><br>The hatch opens automatically                         | <br><b>Intelligent APP control</b><br>Remote control                      | <br><b>Multiple protection</b><br>Care for pet safety            |



### Oversized window cat house

Intelligent cat house design, warm in winter and cool in summer.  
The cabin door is designed with high-specification tempered glass, Clear and transparent while ensuring safety, observe every move of pet at any time



Clear and translucent  
Anti-burst  
Scratch-proof  
High temperature resistance



## Kan Tsang New Technology Development Limited

Flat 01, 11/F., Nan Fung Commercial Centre, 19 Lam Lok Street, Kowloon Bay, HK

Tel : (852) 2342 8254 Mobile : (852) 6645 1688

Whatsapp : 852 6645 1688

WeChat Id : alexchiu1688

E-mail : alex@kantsang.com

<http://www.kantsang.com>



# KP2825

## Digital Display Smart Odor Eliminating Litter Box



### 产品特点 | Product Features

不锈钢猫砂底盆、多功能离子除臭、防漏尿设计、内外循环双风道设计，高精度气味传感器，气味数值可视化显示、三种工作模式区分（橙色：气味数值100-41；蓝色：40-6；绿色：0-5）

Stainless steel litter box base, multi-functional ion deodorization, leak-proof urine design, internal and external dual air duct design, high-precision odor sensor, visual display of odor values, three working modes (orange: odor values 100-41; blue: 40-6; green: 0-5)

### 产品参数 | Product Parameters

| 型号<br>Model | 额定电压<br>Rated Voltage | 额定功率<br>Rated Power | 待机功率<br>Standby Power | 产品材质<br>Product Material | 产品尺寸<br>Product Size |
|-------------|-----------------------|---------------------|-----------------------|--------------------------|----------------------|
| SH2825      | DC 5V                 | <3W                 | <0.3W                 | ABS、PP、不锈钢               | 658*458*416mm        |

### 包装参数 | Packaging Parameters

| 包装尺寸<br>Package Size | 装箱数量 | N/W    | G/W    | 🚚 20GP | 🚚 40GP | 🚚 40HQ  |
|----------------------|------|--------|--------|--------|--------|---------|
| 660*460*190mm        | 1pcs | 4.88kg | 6.33kg | 485pcs | 971pcs | 1179pcs |

## Kan Tsang New Technology Development Limited

Flat 01, 11/F., Nan Fung Commercial Centre, 19 Lam Lok Street, Kowloon Bay, HK

Tel : (852) 2342 8254    Mobile : (852) 6645 1688    Whatsapp : 852 6645 1688    WeChat Id : alexchiu1688

E-mail : alex@kantsang.com

<http://www.kantsang.com>





# KP3604

## Smart Thermostatic Pet Bed with Digital Scale



### 产品特点 | Product Features

称重功能:称重范围 $\leq 20\text{kg}$ , 智动启停功能:温度高于  $28^{\circ}\text{C}$ 自动启动制冷、低于  $20^{\circ}\text{C}$ 自动启动制热;  
温度范围: 制冷最低 $15^{\circ}\text{C}$ , 制热最高  $50^{\circ}\text{C}$

Weighing function: weighing range  $\leq 20\text{kg}$ , intelligent start stop function: automatic cooling starts when the temperature is above  $28^{\circ}\text{C}$ , and automatic heating starts when the temperature is below  $20^{\circ}\text{C}$ ; Temperature range: minimum cooling  $15^{\circ}\text{C}$ , maximum heating  $50^{\circ}\text{C}$

### 产品参数 | Product Parameters

| 型号<br>Model | 额定电压<br>Rated Voltage | 额定功率<br>Rated Power | 待机功率<br>Standby Power | 产品材质<br>Product Material | 产品尺寸<br>Product Size |
|-------------|-----------------------|---------------------|-----------------------|--------------------------|----------------------|
| SH3604      | DC12V                 | $\leq 40\text{w}$   | $< 0.5\text{w}$       | ABS                      | 540*540*125mm        |

### 包装参数 | Packaging Parameters

| 包装尺寸 Package Size | 装箱数量 | N/W | G/W   | 🚚 20GP | 🚚 40GP  | 🚚 40HQ  |
|-------------------|------|-----|-------|--------|---------|---------|
| 565*565*150 mm    | 1pcs | 3kg | 5.3kg | 565pcs | 1129pcs | 1371pcs |

### Kan Tsang New Technology Development Limited

Flat 01, 11/F., Nan Fung Commercial Centre, 19 Lam Lok Street, Kowloon Bay, HK

Tel : (852) 2342 8254    Mobile : (852) 6645 1688    Whatsapp : 852 6645 1688    WeChat Id : alexchiu1688

E-mail : alex@kantsang.com

<http://www.kantsang.com>



# KP3606

## Smart Thermostatic Pet Shelter with Digital Scale



### 产品特点 | Product Features

称重功能:称重范围 $\leq 20\text{kg}$ , 智动启停功能:温度高于  $28^{\circ}\text{C}$ 自动启动制冷、低于  $20^{\circ}\text{C}$ 自动启动制热;  
温度范围: 制冷最低 $15^{\circ}\text{C}$ , 制热最高  $50^{\circ}\text{C}$

Weighing function: weighing range  $\leq 20\text{kg}$ , intelligent start stop function: automatic cooling starts when the temperature is above  $28^{\circ}\text{C}$ , and automatic heating starts when the temperature is below  $20^{\circ}\text{C}$ ; Temperature range: minimum cooling  $15^{\circ}\text{C}$ , maximum heating  $50^{\circ}\text{C}$

### 产品参数 | Product Parameters

| 型号<br>Model | 额定电压<br>Rated Voltage | 额定功率<br>Rated Power | 待机功率<br>Standby Power | 产品材质<br>Product Material | 产品尺寸<br>Product Size |
|-------------|-----------------------|---------------------|-----------------------|--------------------------|----------------------|
| SH3606      | DC 12V                | $\leq 40\text{w}$   | $< 0.5\text{W}$       | ABS                      | 530*530*420mm        |

### 包装参数 | Packaging Parameters

| 包装尺寸<br>Package Size | 装箱数量 | N/W   | G/W   | 📦 20GP | 📦 40GP | 📦 40HQ |
|----------------------|------|-------|-------|--------|--------|--------|
| 570*520*365mm        | 1pcs | 4.3kg | 6.5kg | 230pcs | 480pcs | 650pcs |

### Kan Tsang New Technology Development Limited

Flat 01, 11/F., Nan Fung Commercial Centre, 19 Lam Lok Street, Kowloon Bay, HK

Tel : (852) 2342 8254    Mobile : (852) 6645 1688    Whatsapp : 852 6645 1688    WeChat Id : alexchiu1688

E-mail : alex@kantsang.com

<http://www.kantsang.com>